

L Number	Hits	Search Text	DB	Time stamp
16	6	(US-6542900-\$ or US-6643652-\$ or US-6637025-\$ or US-5893118-\$).did. or (US-20030106043-\$ or US-20030084120-\$).did.	USPAT; US-PGPUB	2004/08/18 10:35
19	1	((US-6542900-\$ or US-6643652-\$ or US-6637025-\$ or US-5893118-\$).did. or (US-20030106043-\$ or US-20030084120-\$).did.) and (constant adj pool)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/18 10:35
-	0	("2003016043").PN.	USPAT	2004/08/15 13:50
-	0	("2003016043").PN.	USPAT; US-PGPUB	2004/08/12 17:43
-	1	("20030106043").PN.	USPAT; US-PGPUB	2004/08/12 17:44
-	717	Java same class same extend\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:45
-	3	((Java same class same extend\$5) same map\$4) same cache same load\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 17:45
-	46	(Java same class same extend\$5) same map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 19:12
-	1	java same (class near4 load\$3) same (interpos\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:34
-	162	java same (class near4 map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:24
-	94	(java same (class near4 map\$4)) and interp\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:24
-	5	(java same (class near4 map\$4)) same interp\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:24
-	1	java same (class same map\$4) same (interpos\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:37
-	460	java same (class adj2 loader)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:37
-	1	(java same (class adj2 loader)) same list\$3 same map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 15:38

-	230	java same class same load\$3 same (modif\$3 or chang\$3 or alter\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/15 18:27
-	13	java same class same load\$3 same (modif\$3 or chang\$3 or alter\$3) same map\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/15 13:53
-	9	java same class same load\$3 same (modif\$3 or chang\$3 or alter\$3) same (class near4 exten\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:11
-	3	java same (class near6 load\$3) same (class near6 (modif\$3 or chang\$3 or alter\$3 or transf\$5)) same (class near4 exten\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/15 19:14
-	554	java same (class near6 exten\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:12
-	36	java same (class near6 exten\$4) same map\$\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 19:12
-	6	java same (class near6 exten\$4) same proxy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 20:32
-	809	java same (interpos\$3 (class near4 name))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 20:33
-	147	java same (interpos\$3 (class near4 name)) same (class near4 load\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 20:33
-	0	java same (interpos\$3 (class near4 name)) same (class near4 load\$3) same instiniat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 20:33
-	15	java same (interpos\$3 (class near4 name)) same (class near4 load\$3) same instantiat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 20:33


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 11 - 20 of about 351,000 for **java class extend**. (1.02 seconds)

Java shared classes

... IBM JVM's shared **classes** technology) to run **Java** transactions and applications.
 CICS TS 2.3 introduces a shared **class** cache facility, which **extends** this shared ...
www-106.ibm.com/developerworks/java/library/j-shared/ - 50k - [Cached](#) - [Similar pages](#)
[\[More results from www-106.ibm.com \]](#)

About View Object Java Classes

... It optionally has up to two **Java** source files — a view object **class** and a view
 row **class**. ... View object **classes extend** the **class** oracle.jbo.server ...
helponline.oracle.com/.../navId.4/vtTopicFile.jdeveloper%7Cbc4j%7Cclient_data%7Cbc_avoclasses~html/ - 6k -
[Cached](#) - [Similar pages](#)

Achieve better Java code with inner and anonymous classes

... Starting with **Java** 1.1, you can declare a **class** inside another, much like you declare
 fields and methods. ... The **class** to **extend** or the interface to implement ...
builder.com.com/5100-6386-5035155.html - 40k - [Cached](#) - [Similar pages](#)

Exceptions in Java

... addition to throwing objects whose **classes** are declared in **java.lang**, you ... In general,
 however, the throwable **classes** you define should **extend class** Exception ...
www.artima.com/designtechniques/exceptions.html - 16k - Aug 10, 2004 - [Cached](#) - [Similar pages](#)

Key Java Classes online e-learning

... **Java** language concepts, and is designed for programmers who understand the basic
 syntax of **Java** programs and can create and **extend Java classes** and objects. ...
www.training-classes.com/course_hierarchy/courses/2178_Key_Java_Classes.php - 20k -
[Cached](#) - [Similar pages](#)

Applets Running Wild (Ch. 5, Sec. 8) [Securing Java]

... If an applet defines a new EvilClassLoader **class** to **extend** the basic ClassLoader,
 then the new constructor is required to call **Java's** basic ClassLoader ...
www.securingsjava.com/chapter-five/chapter-five-8.html - 17k - Aug 11, 2004 - [Cached](#) - [Similar pages](#)

NeuroML API Specification: Class Extend

java.lang.Object | `+--neuroml.util.Extend public class Extend extends`
java.lang.Object Convert between native neuroml & user **extended** objects. ...
www.neuroml.org/docs/ref/neuroml/util/Extend.html - 13k - [Cached](#) - [Similar pages](#)

Core J2ME (TM) - Java 2 Micro Edition - Source Code

... **Java** Code: `/*-- CanvasBasics.java ** Extend the canvas class`
 and write a text string * onto the display ...
www.corej2me.com/DeveloperResources/sourcecode/lowlevel_UI/basics/index.shtml - 10k -
[Cached](#) - [Similar pages](#)

Java CodeGuru: (none)

... import **java.awt.font.***; import **java.awt.event** ... text.*; /* author Zafir Anjum */
 public **class** JMultiLineToolTip **extends** JToolTip { private ...
www.codeguru.com/java/articles/122.shtml - 27k - [Cached](#) - [Similar pages](#)

The Essence of OOP using Java, Classes

... all of the above in a simple program that **extends** the Radio **class** discussed in this lesson into a new **class** named Combo ... File Radio01.java Copyright 2001 ...
www.developer.com/java/other/article.php/943981 - 80k - [Cached](#) - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY